

# Permabond A1044

## Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878

### SECTION 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name **Permabond A1044**

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use **Adhesive**

#### 1.3. Details of the supplier of the safety data sheet

Name **Permabond Engineering Adhesives**  
Full address **Niederkasseler Lohweg 18**  
District and Country **40547 Düsseldorf**  
**Germany**  
Tel. **+44 (0)1962 711 661**

e-mail address of the competent person responsible for the Safety Data Sheet **info.europe@permabond.com**

Supplier: **Permabond Engineering Adhesives Ltd**  
**Wessex Way, Colden Common,**  
**Winchester, Hampshire SO21 1WP, UK**  
tel: **+44 (0)1962 711 661**  
mail: **info.europe@permabond.com**

#### 1.4. Emergency telephone number

For urgent inquiries refer to **+44 (0)1962 711 661 ( 8.00 am-5.00 pm Mon-Fri)**

**CHEMTREC UK: +(44)-870-8200418**  
**CHEMTREC Ireland: +(353)-19014670**  
**CHEMTREC Australia: +(61)-290372994**  
**CHEMTREC New Zealand: +(64)-98010034**

### SECTION 2. Hazards identification

#### 2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

|  |      |                                   |
|--|------|-----------------------------------|
| Eye irritation, category 2                                   | H319 | Causes serious eye irritation.    |
| Skin irritation, category 2                                  | H315 | Causes skin irritation.           |
| Specific target organ toxicity - single exposure, category 3 | H335 | May cause respiratory irritation. |

#### 2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



## Permabond A1044

### SECTION 2. Hazards identification ... / >>

Signal word: Warning

Hazard statements:

**H319** Causes serious eye irritation.  
**H315** Causes skin irritation.  
**H335** May cause respiratory irritation.

Precautionary statements:

**P280** Wear protective gloves/ protective clothing / eye protection / face protection.  
**P302+P352** IF ON SKIN: Wash with plenty of soap and water.  
**P305+P351+P338** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
**P308+P313** IF exposed or concerned: Get medical advice / attention.

**Contains:** METHACRYLIC ACID

#### 2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage  $\geq$  than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration  $\geq$  0.1%.

### SECTION 3. Composition/information on ingredients

#### 3.2. Mixtures

Contains:

| Identification                   | x = Conc. %      | Classification (EC) 1272/2008 (CLP)   |
|----------------------------------|------------------|---|
| <b>METHACRYLIC ACID</b>          |                  |   |
| INDEX 607-088-00-5               | $1 \leq x < 3$   | Acute Tox. 3 H311, Acute Tox. 4 H302, Acute Tox. 4 H332, Skin Corr. 1A H314, Eye Dam. 1 H318, STOT SE 3 H335, Classification note according to Annex VI to the CLP Regulation: D<br>STOT SE 3 H335: $\geq 1\%$<br>LD50 Oral: 1320 mg/kg, LD50 Dermal: 750 mg/kg, ATE Inhalation vapours: 11 mg/l  |
| EC 201-204-4                     |                  |   |
| CAS 79-41-4                      |                  |   |
| REACH Reg. 01-2120741502-64-XXXX |                  |   |
| <b>CUMYL HYDROPEROXIDE</b>       |                  |   |
| INDEX 617-002-00-8               | $0,1 \leq x < 1$ | Org. Perox E H242, Acute Tox. 3 H331, Acute Tox. 4 H302, Acute Tox. 4 H312, STOT RE 2 H373, Skin Corr. 1B H314, Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Chronic 2 H411<br>Skin Corr. 1B H314: $\geq 10\%$ , Skin Irrit. 2 H315: $\geq 3\% - < 10\%$ , Eye Dam. 1 H318: $\geq 3\% - < 10\%$ , Eye Irrit. 2 H319: $\geq 1\% - < 3\%$ , STOT SE 3 H335: $\geq 1\%$<br>LD50 Oral: 382 mg/kg, LD50 Dermal: 1400 mg/kg, ATE Inhalation mists/powders: 0,501 mg/l |
| EC 201-254-7                     |                  |   |
| CAS 80-15-9                      |                  |   |
| REACH Reg. 01-2119475796-19-XXXX |                  |   |

The full wording of hazard (H) phrases is given in section 16 of the sheet.

CUMYL HYDROPEROXIDE  
Specific Conc. Limits H335: C<10%

### SECTION 4. First aid measures

#### 4.1. Description of first aid measures

**SKIN:** Wash skin thoroughly with soap and water. If symptoms occur, seek medical attention. **EYES:** Be sure to remove any contact lenses before rinsing eyes. Promptly rinse eyes thoroughly with water while holding eyelids open. Continue rinsing for at least 15 minutes. Seek medical attention if discomfort persists. **INGESTION:** Rinse mouth thoroughly with water. Give plenty of water to drink. Do not induce vomiting. Seek medical attention. **INHALING:** Move exposed person to fresh air. Seek medical attention if symptoms are severe or persistent.

Rescuer protection

**Permabond A1044****SECTION 4. First aid measures ... / >>**

Information not available

**4.2. Most important symptoms and effects, both acute and delayed**

Contact with the skin: skin irritation. Mild dermatitis, allergic rash.  
Contact with eyes: irritating and can cause redness and pain.

**4.3. Indication of any immediate medical attention and special treatment needed**

Note for the doctor no specific recommendation. Symptomatic treatment.

Means to have available in the workplace for specific and immediate treatment

Information not available

**SECTION 5. Firefighting measures****5.1. Extinguishing media**

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

**5.2. Special hazards arising from the substance or mixture**

HAZARDS DUE TO EXPOSURE IN THE EVENT OF FIRE

Avoid breathing combustion products, carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>), and nitric oxides (NO<sub>x</sub>).

**5.3. Advice for firefighters**

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

**SECTION 6. Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

**6.2. Environmental precautions**

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

**6.3. Methods and material for containment and cleaning up**

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

**6.4. Reference to other sections**

Any information on personal protection and disposal is given in sections 8 and 13.

**SECTION 7. Handling and storage****7.1. Precautions for safe handling**

Ensure that there is an adequate earthing system for the equipment and personnel. Avoid contact with eyes and skin. Do not breathe

**Permabond A1044**

**SECTION 7. Handling and storage ... / >>**

powders, vapours or mists. Do not eat, drink or smoke during use. Wash hands after use. Avoid leakage of the product into the environment.

**7.2. Conditions for safe storage, including any incompatibilities**

Store only in the original container. Store in a ventilated and dry place, far away from sources of ignition. Keep containers well sealed. Keep the product in clearly labelled containers. Avoid overheating. Avoid violent blows. Keep containers away from any incompatible materials, see section 10 for details.

**7.3. Specific end use(s)**

Adhesive

**SECTION 8. Exposure controls/personal protection**

**8.1. Control parameters**

Regulatory references:

|     |                |   |
|-----|----------------|---|
| DEU | Deutschland    | WirkungDosisNOAELMAK-und BAT-Werte-Liste 2024 Ständige Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe  |
| DNK | Danmark        | BEK nr 291 af 19/03/2024 (Historisk) Bekendtgørelse om grænseværdier for stoffer og materialer (kemiske agenser) i arbejdsmiljøet   |
| ESP | España         | Límites de exposición profesional para agentes químicos en España 2024  |
| FRA | France         | Valeurs limites d'exposition professionnelle aux agents chimiques en FranceDécret n° 2021-1849 du 28 décembre 2021  |
| FIN | Suomi          | HTP-VÄRDEN 2020. Koncentrationer som befunns skadliga. SOCIAL - OCH HÄLSOVÄRDSMINISTERIETS PUBLIKATIONER 2020:25  |
| LVA | Latvija        | Grozījumi Ministru kabineta 2007. gada 15. maija noteikumos Nr. 325 "Darba aizsardzības prasības saskarē ar ķīmiskajām vielām darba vietās" Oficiālāāas publikācijas Nr.: 2024/65.2   |
| NOR | Norge          | Forskrift om endring i forskrift om tiltaksverdier og grenseverdier for fysiske og kjemiske faktorer i arbeidsmiljøet samt smitterisikogrupper for biologiske faktorer (forskrift om tiltaks- og grenseverdier), 21. 10. april 2024 kl. 13.55                   |
| ROU | România        | HOTĂRÂRE nr. 179 din 28 februarie 2024 pentru modificarea și completarea Hotărârii Guvernului nr. 1.093/2006 privind stabilirea cerințelor minime de securitate și sănătate pentru protecția lucrătorilor împotriva riscurilor legate de expunerea la agenți ca |
| SWE | Sverige        | Arbetsmiljöverkets föreskrifter och allmänna råd (AFS 2023:14) om gränsvärden för luftvägsexponering i arbetsmiljön   |
| GBR | United Kingdom | EH40/2005 Workplace exposure limits (Fourth Edition 2020)   |

**METHACRYLIC ACID**

**Threshold Limit Value**

| Type    | Country | TWA/8h |     | STEL/15min |     | Remarks / Observations |
|---------|---------|--------|-----|------------|-----|------------------------|
|         |         | mg/m3  | ppm | mg/m3      | ppm |                        |
| AGW     | DEU     | 180    | 50  | 360        | 100 |                        |
| TLV     | DNK     | 70     | 20  |            |     |                        |
| VLA     | ESP     | 72     | 20  |            |     |                        |
| VLEP    | FRA     | 70     | 20  |            |     |                        |
| HTP     | FIN     | 71     | 20  |            |     |                        |
| RV      | LVA     | 10     |     |            |     |                        |
| TLV     | NOR     | 70     | 20  |            |     |                        |
| TLV     | ROU     | 30     | 8,5 |            |     |                        |
| NGV/KGV | SWE     | 70     | 20  | 100        | 30  |                        |
| WEL     | GBR     | 72     | 20  | 143        | 40  |                        |

**Predicted no-effect concentration - PNEC**

|                              |      |      |
|------------------------------|------|------|
| Normal value in fresh water  | 0,82 | mg/l |
| Normal value in marine water | 0,82 | mg/l |

**Health - Derived no-effect level - DNEL / DMEL**

| Route of exposure | Effects on consumers |                |               |                  | Effects on workers |                |               |                  |
|-------------------|----------------------|----------------|---------------|------------------|--------------------|----------------|---------------|------------------|
|                   | Acute local          | Acute systemic | Chronic local | Chronic systemic | Acute local        | Acute systemic | Chronic local | Chronic systemic |
| Inhalation        |                      |                | 6.55 mg/m3    | 6.3 mg/m3        |                    |                | 88 mg/m3      | 29.6 mg/m3       |
| Skin              |                      |                |               | 2.55 mg/kg bw/d  |                    |                |               | 4.25 mg/kg bw/d  |

## Permabond A1044

### SECTION 8. Exposure controls/personal protection ... / >>

#### CUMYL HYDROPEROXIDE

##### Threshold Limit Value

| Type | Country | TWA/8h | STEL/15min | Remarks / Observations |
|------|---------|--------|------------|------------------------|
|      |         | mg/m3  | ppm        |                        |
|      |         | mg/m3  | ppm        |                        |

RV LVA 1

##### Predicted no-effect concentration - PNEC

|  |         |       |
|--|---------|-------|
| Normal value in fresh water                  | 0,0031  | mg/l  |
| Normal value in marine water                 | 0,00031 | mg/l  |
| Normal value for fresh water sediment        | 0,023   | mg/kg |
| Normal value for marine water sediment       | 0,0023  | mg/kg |
| Normal value for water, intermittent release | 0,031   | mg/l  |
| Normal value of STP microorganisms           | 0,35    | mg/l  |
| Normal value for the terrestrial compartment | 0,0029  | mg/kg |

##### Health - Derived no-effect level - DNEL / DMEL

| Route of exposure | Effects on consumers |          |         |          | Effects on workers |          |         |            |
|-------------------|----------------------|----------|---------|----------|--------------------|----------|---------|------------|
|                   | Acute                | Acute    | Chronic | Chronic  | Acute              | Acute    | Chronic | Chronic    |
|                   | local                | systemic | local   | systemic | local              | systemic | local   | systemic   |
| Inhalation        |                      |          |         |          |                    |          |         | 6<br>mg/m3 |

##### Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.  
 VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

#### 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

##### HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, permeability time.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

##### SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

##### EYE PROTECTION

Wear airtight protective goggles (see standard EN ISO 16321).

##### RESPIRATORY PROTECTION

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. Use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387).

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

##### ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

### SECTION 9. Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

| Properties                     | Value          | Information |
|--------------------------------|----------------|-------------|
| Appearance                     | liquid         |             |
| Colour                         | white          |             |
| Odour                          | characteristic |             |
| Melting point / freezing point | not available  |             |
| Initial boiling point          | not available  |             |
| Flammability                   | not available  |             |
| Lower explosive limit          | not available  |             |
| Upper explosive limit          | not available  |             |

## Permabond A1044

### SECTION 9. Physical and chemical properties ... / >>

|  |                    |   |
|--|--------------------|---|
| Flash point                            | > 100 °C           |   |
| Auto-ignition temperature              | not available      |   |
| Decomposition temperature              | not available      |   |
| pH                                     | not available      | Reason for missing data:substance/mixture is non-soluble (in water) |
| Kinematic viscosity                    | not available      |   |
| Dynamic viscosity                      | ~70000 mPa.s Thixo | Temperature: 23 °C  |
| Solubility                             | not available      |   |
| Partition coefficient: n-octanol/water | not available      |   |
| Vapour pressure                        | not available      |   |
| Density and/or relative density        | 1,1                |   |
| Relative vapour density                | not available      |   |
| Particle characteristics               | not applicable     |   |

#### 9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

Information not available

### SECTION 10. Stability and reactivity

#### 10.1. Reactivity

The following materials may react with the product: Strong oxidizing agents, Reducing agents, strong acids and bases.

#### 10.2. Chemical stability

The product is stable in normal conditions of use and storage.

#### 10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

#### 10.4. Conditions to avoid

Stable under normal conditions of storage and use.  
 Protect from direct sunlight.  
 Avoid contact with acids and oxidizing agents.

#### 10.5. Incompatible materials

See the reactivity section.

#### 10.6. Hazardous decomposition products

By thermal decomposition, carbon monoxide, carbon dioxide and ed other unidentified organic compounds.

### SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

**Permabond A1044**

**SECTION 11. Toxicological information ... / >>**

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

|  |             |
|--|-------------|
| ATE (Inhalation - mists / powders) of the mixture: | > 5 mg/l    |
| ATE (Inhalation - vapours) of the mixture:         | > 20 mg/l   |
| ATE (Oral) of the mixture:                         | >2000 mg/kg |
| ATE (Dermal) of the mixture:                       | >2000 mg/kg |

**METHACRYLIC ACID**

|                            |  |
|----------------------------|--|
| LD50 (Dermal):             | 750 mg/kg  |
| LD50 (Oral):               | 1320 mg/kg   |
| LC50 (Inhalation vapours): | 7,1 mg/l/4h  |
| ATE (Inhalation vapours):  | 11 mg/l estimate from table 3.1.2 of Annex I of the CLP<br>(figure used for calculation of the acute toxicity estimate of the mixture) |

**CUMYL HYDROPEROXIDE**

|                                  |   |
|----------------------------------|---|
| LD50 (Dermal):                   | 1400 mg/kg  |
| LD50 (Oral):                     | 382 mg/kg   |
| LC50 (Inhalation mists/powders): | 1,37 mg/l/4h  |
| ATE (Inhalation mists/powders):  | 0,501 mg/l estimate from table 3.1.2 of Annex I of the CLP<br>(figure used for calculation of the acute toxicity estimate of the mixture) |

SKIN CORROSION / IRRITATION

Causes skin irritation

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye irritation

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

May cause respiratory irritation

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

# Permabond A1044

## SECTION 11. Toxicological information ... / >>

### 11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

## SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

### 12.1. Toxicity

|                                   |                |
|-----------------------------------|----------------|
| METHACRYLIC ACID                  |                |
| LC50 - for Fish                   | 85 mg/l/96h    |
| EC50 - for Crustacea              | > 130 mg/l/48h |
| EC50 - for Algae / Aquatic Plants | 45 mg/l/72h    |

|   |                |
|---|----------------|
| CUMYL HYDROPEROXIDE                     |                |
| LC50 - for Fish                         | 3,9 mg/l/96h   |
| EC50 - for Crustacea                    | 18,84 mg/l/48h |
| EC50 - for Algae / Aquatic Plants       | 3,1 mg/l/72h   |
| Chronic NOEC for Crustacea              | 9,15 mg/l      |
| Chronic NOEC for Algae / Aquatic Plants | 1 mg/l         |

### 12.2. Persistence and degradability

METHACRYLIC ACID  
Rapidly degradable

CUMYL HYDROPEROXIDE  
NOT rapidly degradable

### 12.3. Bioaccumulative potential

Information not available

### 12.4. Mobility in soil

Information not available

### 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage  $\geq$  than 0,1%.

### 12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

### 12.7. Other adverse effects

Information not available

## SECTION 13. Disposal considerations

### 13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

The management of waste arising from the use or dispersal of this product must be organised in accordance with occupational safety regulations. See section 8 for possible need for PPE.

#### CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

08 04 09\* stickers and sealed sealing, containing organic solvents or other dangerous substances

**Permabond A1044**

**SECTION 13. Disposal considerations ... / >>**

How to dispose of residues and empty containers to minimise microplastic release to the environment

Avoid release into the environment. Collect spilled product. Do not wash tools with water. Contaminated packaging should be treated as the substances they contain.

**SECTION 14. Transport information**

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

**14.1. UN number or ID number**

not applicable

**14.2. UN proper shipping name**

not applicable

**14.3. Transport hazard class(es)**

not applicable

**14.4. Packing group**

not applicable

**14.5. Environmental hazards**

not applicable

**14.6. Special precautions for user**

not applicable

**14.7. Maritime transport in bulk according to IMO instruments**

Information not relevant

**SECTION 15. Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point 3

Contained substance

Point 75

Point 78

The synthetic polymer microparticles supplied is subject to conditions laid down by entry 78 of Annex XVII to Regulation (EC) No 1907/2006 of the European Parliament and of the Council.

This type of product benefits from a derogation under point:

4a Product for use at industrial sites

5b Synthetic polymer microparticles whose physical properties are permanently modified during intended end use

5c Synthetic polymer microparticles which are permanently incorporated into a solid matrix

Contained solid synthetic polymers

% quantity of contained polymer particles: 3,02%

Type of contained synthetic polymers:

HS 3904 (Polymers of vinyl chloride or of other halogenated olefins)

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

**Permabond A1044**

**SECTION 15. Regulatory information ... / >>**

not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage  $\geq$  than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

German regulation on the classification of substances hazardous to water (AwSV, vom 18. April 2017)

WGK 1: Low hazard to waters

**15.2. Chemical safety assessment**

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

**SECTION 16. Other information**

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

|                          |  |
|--------------------------|--|
| <b>Org. Perox E</b>      | Organic peroxide, type E   |
| <b>Acute Tox. 3</b>      | Acute toxicity, category 3   |
| <b>Acute Tox. 4</b>      | Acute toxicity, category 4   |
| <b>STOT RE 2</b>         | Specific target organ toxicity - repeated exposure, category 2     |
| <b>Skin Corr. 1A</b>     | Skin corrosion, category 1A  |
| <b>Skin Corr. 1B</b>     | Skin corrosion, category 1B  |
| <b>Skin Corr. 1C</b>     | Skin corrosion, category 1C  |
| <b>Skin Corr. 1</b>      | Skin corrosion, category 1   |
| <b>Eye Dam. 1</b>        | Serious eye damage, category 1                                     |
| <b>Eye Irrit. 2</b>      | Eye irritation, category 2   |
| <b>Skin Irrit. 2</b>     | Skin irritation, category 2  |
| <b>STOT SE 3</b>         | Specific target organ toxicity - single exposure, category 3       |
| <b>Aquatic Chronic 2</b> | Hazardous to the aquatic environment, chronic toxicity, category 2 |
| <b>H242</b>              | Heating may cause a fire.  |
| <b>H311</b>              | Toxic in contact with skin.  |
| <b>H331</b>              | Toxic if inhaled.  |
| <b>H302</b>              | Harmful if swallowed.  |
| <b>H312</b>              | Harmful in contact with skin.                                      |
| <b>H332</b>              | Harmful if inhaled.  |
| <b>H373</b>              | May cause damage to organs through prolonged or repeated exposure. |
| <b>H314</b>              | Causes severe skin burns and eye damage.                           |
| <b>H318</b>              | Causes serious eye damage.   |
| <b>H319</b>              | Causes serious eye irritation.                                     |
| <b>H315</b>              | Causes skin irritation.  |
| <b>H335</b>              | May cause respiratory irritation.                                  |
| <b>H411</b>              | Toxic to aquatic life with long lasting effects.                   |

**LEGEND:**

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule

## Permabond A1044

### SECTION 16. Other information ... / >>

- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very persistent and very bioaccumulative
- vPvM: Very persistent and very mobile
- WGK: Water hazard classes (German).

#### GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
23. Delegated Regulation (UE) 2023/707
24. Delegated Regulation (UE) 2023/1434 (XIX Atp. CLP)
25. Delegated Regulation (UE) 2023/1435 (XX Atp. CLP)
26. Delegated Regulation (UE) 2024/197 (XXI Atp. CLP)
27. Delegated Regulation (UE) 2024/2564 (XXII Atp. CLP)
28. Regulation (EU) 2024/2865

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

#### Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

## Permabond A1044

### SECTION 16. Other information ... / >>

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

#### CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:

The following sections were modified:

13 / 15.