SILISIL RTV MF-Dura 30

Safety Data Sheet

SILITECH AG encourages you to read and understand the entire Safety Data Sheet (SDS), as this document contains important information. We ask that you follow the precautions indicated in this document, unless your conditions of use require other appropriate methods or actions.

1. IDENTIFICATION

Product Name
SILISIL RTV MF-Dura 30

Relevant uses identified for the substance or mixture
Industrial uses
Reserved for professional users
Addition silicone for mold making

Uses not recommended
None known

Company identification
SILITECH AG
Worbstrasse 173
3073 Gümligen
Switzerland

Tel. +41 31 398 50 70
info@silitech.ch

Emergency phone number
Tox Info Suisse (24/7): +41 44 251 51 51 or 145 (Switzerland and Liechtenstein).

2. HAZARD IDENTIFICATION

Classification of the substance or mixture
Not classified according to Regulation (EC) No 1272/2008 (CLP).

Labeling elements

Labelling according to Regulation (EC) No 1272/2008	None
Danger pictograms	None
Warning notice	None
Hazard statements	None

Other dangers

PBT	Not applicable
vPvB	Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances
Not applicable

Mixtures
Hazardous components within the meaning of the CLP regulation and related classification

Quantity	Name	Ident. Number	Classification
20 - 25 %	Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis. Products with silica; pyrogenic, synthetic amorphous, nano, surface treated silicon dioxide	CAS: 14808-60-7 EC: 238-878-4	STOT RE 1 H373, EUH066
3 -5 %	Cristobalite	CAS: 13772-29-7 EC: 237-401-7 REACH No.: 01-21201143 57-62-XXXX	STOT RE 1, H372
<0,1 %	octamethylcyclotetrasiloxane; [D4]	Index number: 014-018-00-1 CAS: 556-67-2 EC: 209-136-7	Flam. Liq. 3, H226; Repr. 2, H361f; Aquatic Chronic 1, H410, M-Chronic:10

4. FIRST AID MEASURES

Description of first aid measures

General Information
Remove any clothing contaminated by the product immediately.

Inhalation
Provide fresh air and keep warm and at rest.

Skin contact
Wash immediately with soap and water and rinse thoroughly. If skin irritation persists, consult a doctor.

Visual contact
Rinse your eyes under running water for several minutes and seek medical advice.

Ingestion
Do not induce vomiting. Obtain medical examination immediately.

Burns
Not applicable.

Most important symptoms and effects, both acute and delayed
None known.

Indication of any immediate medical attention and any special treatment needed
Treat the symptoms.

Information for doctors
Bring this safety data sheet or the label of this product.

5. FIRE FIGHTING MEASURES

Fire extinguishing agent
Suitable extinguishing media: CO2,water.

Specific risks associated with the substance or mixture
Do not inhale combustion gases. Burning produces thick smoke

Advice for firefighters
Special safety equipment
Wear a self-contained breathing apparatus independent of ambient air.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Move undamaged containers from immediate hazard area if it can be done safely

6. MEASURES IN CASE OF ACCIDENTAL RELEASE

Personal precautions, protective equipment and emergency procedures
Wear safety equipment. Keep unprotected individuals away.

Environmental precautions
Do not allow to enter soil/subsoil. Do not allow surface water to enter drains. Retain contaminated water and dispose of it. In case of gas emissions or of entry into waterways, soil or drains, inform the responsible authorities. Suitable material for taking up: absorbing material, sand.

Containment and cleaning methods and materials
Wash with plenty of water.

7. HANDLING AND STORAGE

Precautions for safe handling
Avoid contact with skin and eyes, inhalation of vapours and mists. Keep containers tightly closed. Ensure good ventilation/extraction in the work area. Keep away from sources of ignition – no smoking. Keep away from heat.

Safe storage conditions, including any potential incompatibilities
Open containers must be carefully resealed and kept in an upright position to prevent leaks.

Requirements for storage facilities and containers
Store only in the original receptacle.

Instructions regarding shared storage
Do not store with flammable materials. Store away from food.

Other information on storage conditions
Keep containers tightly closed. Store in a cool, dry place in tightly sealed drums. Protect from intense heat and direct sunlight. Store containers in a well-ventilated area.

Specific end use(s)
No further information available.

8. EXPOSURE CONTROL/PERSONAL PROTECTION

Control parameters

Cristobalite – CAS: 14464-46-1

OEL Type	TWA	Notes
TLV	0.1 mg/m^3	Respirable
EU	0.1 mg/m^3	Respirable
ACGIH	0.025 mg/m^3	(R), A2 -Pulm fibrosis, lung cancer

octamethylcyclotetrasiloxane; [D4] - CAS: 556-67-2

OEL Type	TWA	Duration	STEL	Duration	Notes	Country
No data available	120 mg/m^3					

Exposure controls

Apply general control measures to avoid unnecessary exposure.

Appropriate technical controls

No further information provided.

General protection and hygiene measures

Observe standard safety precautions when handling chemicals. Do not eat, drink, smoke, or sniffle at work. Wash your hands before breaks and at the end of your shift. Separate restrooms, showers, and changing rooms are required.

Respiratory protection

Not needed for normal use.

Hand protection

Not needed for normal use.

Eye/Face Protection

Not needed for normal use.

Body protection

Protective workwear

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Liquid
Color	White
Smell	Odorless
Melting/freezing point (°C)	Not determined
Boiling point or initial boiling point and boiling range	Not determined
Flammability (°C)	Not determined
Lower/upper explosive limit (% v/v)	Not determined
Flash point (°C)	135 °C
Auto-ignition temperature (°C)	Not determined
Decomposition temperature (°C)	Not determined
pH	Not determined
Kinematic viscosity	Not determined
Water solubility	Insoluble
Solubility in oil	Not determined
n-octanol/water coefficient (LogKow)	Not determined
Vapor pressure (20 °C)	Not determined
Density (20 °C)	1.12 g/cm³
Relative density	Not determined
Vapor density	Not determined
Particle size	Not determined

Other information
Viscosity: 5830 cP

10. STABILITY AND REACTIVITY

Reactivity
Stable under normal conditions.

Chemical stability
Data not available.

Potential for dangerous reactions
None

Conditions to avoid
No other significant information is available.

Incompatible materials
None in particular.

Hazardous decomposition products
None.

Additional information
None.

11. TOXICOLOGICAL INFORMATION

Information on hazard classes as defined in Regulation (EC) No 1272/2008: acute toxicity
Based on the available data for the mixture, the classification criteria are not met.

Skin corrosion/irritation
Based on the available data for the mixture, the classification criteria are not met.

Serious eye injuries/irritations
Based on the available data for the mixture, the classification criteria are not met.

Respiratory awareness
Based on the available data for the mixture, the classification criteria are not met.

Skin sensitization
Based on the available data for the mixture, the classification criteria are not met.

Germ cell mutagenicity
Based on the available data for the mixture, the classification criteria are not met.

Carcinogenicity
Based on the available data for the mixture, the classification criteria are not met.

Reproductive toxicity
Based on the available data for the mixture, the classification criteria are not met.

Unique exposure to STOTs
Based on the available data for the mixture, the classification criteria are not met.

Repeated exposure to STOTs
Based on the available data for the mixture, the classification criteria are not met.

Danger by aspiration
Based on the available data for the mixture, the classification criteria are not met.

Toxicological information of the main substances found in the product
octamethylcyclotetrasiloxane; [D4] - CAS: 556-67-2

Test	Route	Species
LC50	-	36 mg/l (rat)
LD50	Skin	>2000 mg/kg (rat)
LD50	Oral	4800 mg/kg (rat)

Information on other hazards

Endocrine disrupting properties

No endocrine disruptor substances present in concentration >= 0.1%

12. ECOLOGICAL INFORMATION

The product is not classified as chronic aquatic hazard. A test based on the bioavailability and release of D4 by polymer silicone was performed with the OECD 29 method. It was found that the quantity of D4 released by 100mg of polymer is at least below the quantification limit of the method (i.e. 4.4 ppb), a value significantly lower than the limit that would result in the classification for chronic aquatic toxicity (NOEC of 0.0044 mg/L for fish and 0.0079 mg/L for aquatic invertebrates). Therefore, the product is not classified for this hazard class.

Toxicity
octamethylcyclotetrasiloxane; [D4] - CAS: 556-67-2
Aquatic acute toxicity

Test	Duration	Species
IC50	72h	>0.0022 mg/l (algae)
LC50	-	>0.0022 mg/l (fish)
NOEC	-	>0.0044 mg/l (fish)

Long-term toxicity to aquatic invertebrates

Test	Duration	Species
NOEC	21 days	7.9 µg/l (daphnia)

Persistence and degradability
Cristobalite - CAS: 14464-46-1
Biodegradability: Non-readily biodegradable

octamethylcyclotetrasiloxane; [D4] - CAS: 556-67-2
Biodegradability: Non-readily biodegradable

Bioaccumulation potential
Cristobalite - CAS: 14464-46-1
Not bioaccumulative

octamethylcyclotetrasiloxane; [D4] - CAS: 556-67-2

Test	Partition coefficient
Kow	6.49

Mobility in the ground
Not available.

vPvB assessment
PBT
<0,1% octamethylcyclotetrasiloxane; [D4] - CAS: 556-67-2

vPvB
<0,1% octamethylcyclotetrasiloxane; [D4] - CAS: 556-67-2

Endocrine system disruptive properties
For information regarding endocrine-disrupting properties, refer to section 11.

Other side effects
None

13. DISPOSAL CONSIDERATIONS

Waste treatment methods
Recommendation
Recover if possible. Comply with the local and national regulations currently in force.

14. TRANSPORT INFORMATION

	UN/ID	UN Appropriate Shipping Name	Hazard classes	PG*	Environment**	Other information
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

* Packaging group
** Environmental risks

Additional Information
Non-hazardous goods according to ADR, IATA and IMDG regulations.

Special precautions for the user
Not applicable.

Bulk maritime transport according to IMO instruments
No data available.

15. REGULATORY INFORMATION

Specific regulations/legislation relating to the substance or mixture concerning safety, health and the environment
Dir. 98/24/EC (Risks related to chemical agents at work)
Dir. 2000/39/EC (Occupational exposure limit values)
Regulation (EC) n. 1907/2006 (REACH)
Regulation (EC) n. 1272/2008 (CLP)
Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013
Regulation (EU) n. 286/2011 (ATP 2 CLP)
Regulation (EU) n. 618/2012 (ATP 3 CLP)
Regulation (EU) n. 487/2013 (ATP 4 CLP)
Regulation (EU) n. 944/2013 (ATP 5 CLP)
Regulation (EU) n. 605/2014 (ATP 6 CLP)
Regulation (EU) n. 2015/1221 (ATP 7 CLP)
Regulation (EU) n. 2016/918 (ATP 8 CLP)
Regulation (EU) n. 2016/1179 (ATP 9 CLP)
Regulation (EU) n. 2017/776 (ATP 10 CLP)
Regulation (EU) n. 2018/669 (ATP 11 CLP)
Regulation (EU) n. 2018/1480 (ATP 13 CLP)
Regulation (EU) n. 2019/521 (ATP 12 CLP)
Regulation (EU) n. 2020/217 (ATP 14 CLP)
Regulation (EU) n. 2020/1182 (ATP 15 CLP)
Regulation (EU) n. 2021/643 (ATP 16 CLP)
Regulation (EU) n. 2021/849 (ATP 17 CLP)
Regulation (EU) n. 2022/692 (ATP 18 CLP)
Regulation (EU) n. 2023/707
Regulation (EU) n. 2023/1434 (ATP 19 CLP)
Regulation (EU) n. 2023/1435 (ATP 20 CLP)
Regulation (EU) n. 2024/197 (ATP 21 CLP)
Regulation (EU) n. 2020/878

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications
Restrictions related to the product:
None

Restrictions related to the substances contained:
None

SVHC Substances
Substances in candidate list (Art. 59 Reg. 1907/2006, REACH):
octamethylcyclotetrasiloxane; [D4]
PBT, vPvB

Provisions related to directive EU 2012/18 (Seveso III):
Seveso III category according to Annex 1, part 1
None

Chemical safety assessment
No Chemical Safety Assessment has been carried out for the mixture.

16. OTHER INFORMATION

Code	Description
EUH066	Repeated exposure may cause skin dryness or cracking
H226	Flammable liquid and vapour
H361f	Suspected of damaging fertility
H372	Causes damage to organs (lungs) through prolonged or repeated exposure if inhaled.
H373	May cause damage to organs (lungs) through prolonged or repeated exposure if inhaled
H410	Very toxic to aquatic life with long lasting effects.

Hazard class and hazard category	Code	Description
Flam. Liq. 3	2.6/3	Flammable liquid, Category 3
Repr. 2	3.7/2	Reproductive toxicity, Category 2
STOT RE 1	3.9/1	Specific target organ toxicity – repeated exposure, Category 1
STOT RE 2	3.9/2	Specific target organ toxicity – repeated exposure, Category 2
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, Category 1

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:
ECDIN - Environmental Chemicals Data and Information Network
SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS

Acronyms and abbreviations
ACGIH: American Conference of Governmental Industrial Hygienists
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ATE: Acute Toxicity Estimate
ATEmix: Acute toxicity Estimate (Mixtures)
BCF: Biological Concentration Factor
BEI: Biological Exposure Index
BOD: Biochemical Oxygen Demand
CAS: Chemical Abstracts Service (division of the American Chemical Society)
CAV: Poison Center
CE: European Community
CLP: Classification, Labeling, Packaging.
CMR: Carcinogenic, Mutagenic and Reprotoxic
COD: Chemical Oxygen Demand

COV: Volatile Organic Compound
CSA: Chemical Safety Assessment
CSR: Chemical Safety Report
DMEL: Derived Minimal Effect Level
DNEL: Derived No Effect Level.
DPD: Dangerous Preparations Directive
DSD: Dangerous Substances Directive
EC50: Half Maximal Effective Concentration
ECHA: European Chemicals Agency
EINECS: European Inventory of Existing Commercial Chemical Substances
ES: Exposure Scenario
GefStoffVO: Ordinance on Hazardous Substances, Germany
GHS: Globally Harmonized System of Classification and Labeling of Chemicals
IARC: International Agency for Research on Cancer
IATA: International Air Transport Association
IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association”
IC50: half maximal inhibitory concentration
ICAO: International Civil Aviation Organization
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
IMDG: International Maritime Code for Dangerous Goods
INCI: International Nomenclature of Cosmetic Ingredients
IRCCS: Scientific Institute for Research, Hospitalization and Health Care
KAFH: Keep Away From Heat
KSt: Explosion coefficient
LC50: Lethal concentration, for 50 percent of test population
LD50: Lethal dose, for 50 percent of test population
LDLo: Leathal Dose Low
N.A.: Not Applicable
N/A: Not Applicable
N/D: Not defined/ Not available
NA: Not available
NIOSH: National Institute for Occupational Safety and Health
NOAEL: No Observed Adverse Effect Level
OSHA: Occupational Safety and Health Administration
PBT: Persistent, Bioaccumulative and Toxic
PGK: Packaging Instruction
PNEC: Predicted No Effect Concentration
PSG: Passengers
RID: Regulation Concerning the International Transport of Dangerous Goods by Rail
STEL: Short Term Exposure limit
STOT: Specific Target Organ Toxicity
TLV: Threshold Limiting Value
TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day
vPvB: Very Persistent, Very Bioaccumulative
WGK: German Water Hazard Class

Other
A change (proportional to the last essential change (first encryption in the SDS version, see section 1)) is marked with a triangle.

The information contained in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended that this safety data sheet be given to the end user of the product.

The information contained in this safety data sheet cannot be used as a product specification.

Country-Language: CH-en