

# Permabond UV612

## Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

### SECTION 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

 Product name **Permabond UV612**

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

 Intended use **Adhesive**

| Identified Uses | Industrial | Professional | Consumer |
|-----------------|------------|--------------|----------|
| Use             | ✓          | ✓            | -        |

#### 1.3. Details of the supplier of the safety data sheet

|                      |  |
|----------------------|--|
| Name                 | <b>Permabond Engineering Adhesives</b> |
| Full address         | <b>Niederkasseler Lohweg 18</b>        |
| District and Country | <b>40547 Düsseldorf<br/>Germany</b>    |
| Tel.                 | <b>+44 (0)1962 711 661</b>             |

|  |                                  |
|--|----------------------------------|
| e-mail address of the competent person responsible for the Safety Data Sheet | <b>info.europe@permabond.com</b> |
|--|----------------------------------|

|           |   |
|-----------|---|
| Supplier: | <b>Permabond Engineering Adhesives Ltd<br/>Wessex Way, Colden Common,<br/>Winchester, Hampshire SO21 1WP, UK<br/>tel: +44 (0)1962 711 661<br/>mail: info.europe@permabond.com</b> |
|-----------|---|

#### 1.4. Emergency telephone number

|                               |   |
|-------------------------------|---|
| For urgent inquiries refer to | <b>+44 (0)1962 711 661 ( 8.00 am-5.00 pm Mon-Fri)</b> |
|-------------------------------|---|

**CHEMTREC UK: +(44)-870-8200418**  
**CHEMTREC Ireland: +(353)-19014670**  
**CHEMTREC Australia: +(61)-290372994**  
**CHEMTREC New Zealand: +(64)-98010034**

### SECTION 2. Hazards identification

#### 2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

##### Hazard classification and indication:

|  |      |                                      |
|--|------|--------------------------------------|
| Eye irritation, category 2                                   | H319 | Causes serious eye irritation.       |
| Skin irritation, category 2                                  | H315 | Causes skin irritation.              |
| Specific target organ toxicity - single exposure, category 3 | H335 | May cause respiratory irritation.    |
| Skin sensitization, category 1                               | H317 | May cause an allergic skin reaction. |

**SECTION 2. Hazards identification** ... / >>

**2.2. Label elements**

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Warning

Hazard statements:

**H319** Causes serious eye irritation.  
**H315** Causes skin irritation.  
**H335** May cause respiratory irritation.  
**H317** May cause an allergic skin reaction.

Precautionary statements:

**P280** Wear protective gloves/ protective clothing / eye protection / face protection.  
**P302+P352** IF ON SKIN: Wash with plenty of soap and water.  
**P305+P351+P338** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
**P312** Call a POISON CENTER or doctor/physician if you feel unwell.

**Contains:** 2-ETHYLHEXYL METHACRYLATE  
 2-HYDROXYETHYL METHACRYLATE

**2.3. Other hazards**

On the basis of available data, the product does not contain any PBT or vPvB in percentage  $\geq$  than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration  $\geq$  0.1%.

**SECTION 3. Composition/information on ingredients**

**3.2. Mixtures**

Contains:

| Identification                     | x = Conc. %           | Classification (EC) 1272/2008 (CLP)  |
|------------------------------------|-----------------------|--|
| <b>2-ETHYLHEXYL METHACRYLATE</b>   |                       |  |
| INDEX                              | $20 \leq x < 25$      | <b>Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Skin Sens. 1B H317, Aquatic Chronic 3 H412, EUH208</b> |
| EC                                 | 211-708-6             |  |
| CAS                                | 688-84-6              |  |
| REACH Reg.                         | 01-2119490166-35-XXXX |  |
| <b>2-HYDROXYETHYL METHACRYLATE</b> |                       |  |
| INDEX                              | $10 \leq x < 30$      | <b>Eye Irrit. 2 H319, Skin Irrit. 2 H315, Skin Sens. 1 H317</b>  |
| EC                                 | 212-782-2             |  |
| CAS                                | 868-77-9              |  |
| REACH Reg.                         | 01-2119490169-29-XXXX |  |

The full wording of hazard (H) phrases is given in section 16 of the sheet.

**Permabond UV612****SECTION 4. First aid measures****4.1. Description of first aid measures**

**Skin:** Wash the skin thoroughly with soap and water. If symptoms arise, request medical assistance

**Eyes:** Make sure you have removed any contact lenses before rinsing your eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Consult a doctor if the discomfort continues.

**Ingestion:** rinse the mouth with water thoroughly. Give plenty of water to drink. Do not cause vomiting. Consult a doctor.

**Inhalation:** Move the exposed person to fresh air. Consult a doctor in case of serious symptoms or persistent.

Rescuer protection

Information not available

**4.2. Most important symptoms and effects, both acute and delayed**

Contact with the skin: skin irritation. Mild dermatitis, allergic rash.

Contact with eyes: irritating and can cause redness and pain.

**4.3. Indication of any immediate medical attention and special treatment needed**

Note for the doctor no specific recommendation. Symptomatic treatment.

Means to have available in the workplace for specific and immediate treatment

Information not available

**SECTION 5. Firefighting measures****5.1. Extinguishing media**

**SUITABLE EXTINGUISHING EQUIPMENT**

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

**UNSUITABLE EXTINGUISHING EQUIPMENT**

None in particular.

**5.2. Special hazards arising from the substance or mixture**

**HAZARDS DUE TO EXPOSURE IN THE EVENT OF FIRE**

Avoid breathing combustion products, carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>), and nitric oxides (NO<sub>x</sub>).

**5.3. Advice for firefighters**

**GENERAL INFORMATION**

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

**SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS**

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

**SECTION 6. Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

**6.2. Environmental precautions**

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

## Permabond UV612

### SECTION 6. Accidental release measures ... / >>

#### 6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.  
Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

#### 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

### SECTION 7. Handling and storage

#### 7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

#### 7.3. Specific end use(s)

Adhesive

### SECTION 8. Exposure controls/personal protection

#### 8.1. Control parameters

Regulatory references:

NOR Norge Forskrift om endring i forskrift om tiltaksverdier og grenseverdier for fysiske og kjemiske faktorer i arbeidsmiljøet samt smitterisikogrupper for biologiske faktorer (forskrift om tiltaks- og grenseverdier), 21. august 2018 nr. 1255

#### 2-HYDROXYETHYL METHACRYLATE

##### Threshold Limit Value

| Type | Country | TWA/8h |     | STEL/15min |     | Remarks / Observations |
|------|---------|--------|-----|------------|-----|------------------------|
|      |         | mg/m3  | ppm | mg/m3      | ppm |                        |
| TLV  | NOR     | 11     | 2   | 11         | 2   |                        |

##### Predicted no-effect concentration - PNEC

|  |        |       |
|--|--------|-------|
| Normal value in fresh water                        | 0,482  | mg/l  |
| Normal value in marine water                       | 0,0482 | mg/l  |
| Normal value for fresh water sediment              | 3,79   | mg/kg |
| Normal value for marine water sediment             | 3,79   | mg/kg |
| Normal value for fresh water, intermittent release | 1      | mg/l  |
| Normal value of STP microorganisms                 | 10     | mg/l  |
| Normal value for the terrestrial compartment       | 0,476  | mg/kg |

##### Health - Derived no-effect level - DNEL / DMEL

| Route of exposure | Effects on consumers |                |               | Effects on workers |             |                  |
|-------------------|----------------------|----------------|---------------|--------------------|-------------|------------------|
|                   | Acute local          | Acute systemic | Chronic local | Chronic systemic   | Acute local | Chronic systemic |
| Oral              |                      |                |               | 0.83 mg/kg/d       |             | 0.83 mg/kg/d     |
| Inhalation        |                      |                |               | 2.9 mg/m3          |             | 4.9 mg/m3        |
| Skin              |                      |                |               | 0.83 mg/kg/d       |             | 1.3 mg/kg/d      |

## Permabond UV612

### SECTION 8. Exposure controls/personal protection ... / >>

#### 2-ETHYLHEXYL METHACRYLATE

##### Predicted no-effect concentration - PNEC

|  |       |       |
|--|-------|-------|
| Normal value in fresh water                  | 0,003 | mg/l  |
| Normal value in marine water                 | 0     | mg/l  |
| Normal value for fresh water sediment        | 2,24  | mg/kg |
| Normal value for marine water sediment       | 0,224 | mg/kg |
| Normal value of STP microorganisms           | 10    | mg/l  |
| Normal value for the terrestrial compartment | 0,446 | mg/kg |

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.  
VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

#### 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

##### HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, permeability time.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

##### SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

##### EYE PROTECTION

Wear airtight protective goggles (see standard EN ISO 16321).

##### RESPIRATORY PROTECTION

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. Use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387).

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

##### ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

### SECTION 9. Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

| Properties                             | Value              | Information  |
|--|--------------------|--|
| Appearance                             | liquid             |  |
| Colour                                 | colourless         |  |
| Odour                                  | characteristic     |  |
| Melting point / freezing point         | not available      |  |
| Initial boiling point                  | not available      |  |
| Flammability                           | not available      |  |
| Lower explosive limit                  | not available      |  |
| Upper explosive limit                  | not available      |  |
| Flash point                            | > 100 °C           |  |
| Auto-ignition temperature              | not available      |  |
| Decomposition temperature              | not available      |  |
| pH                                     | not available      | Reason for missing data: substance/mixture is non-soluble (in water) |
| Kinematic viscosity                    | not available      |  |
| Dynamic viscosity                      | ~550 mPa.s         | Temperature: 23 °C   |
| Solubility                             | insoluble in water |  |
| Partition coefficient: n-octanol/water | not available      |  |
| Vapour pressure                        | not available      |  |
| Density and/or relative density        | 0,94               |  |

**Permabond UV612****SECTION 9. Physical and chemical properties** ... / >>

Relative vapour density not available  
Particle characteristics not applicable

**9.2. Other information**

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

Information not available

**SECTION 10. Stability and reactivity****10.1. Reactivity**

The following materials may react with the product: Strong oxidizing agents, Reducing agents, strong acids and bases.

**10.2. Chemical stability**

The product is stable in normal conditions of use and storage.

**10.3. Possibility of hazardous reactions**

No hazardous reactions are foreseeable in normal conditions of use and storage.

**10.4. Conditions to avoid**

Stable under normal conditions of storage and use.

Protect from direct sunlight.

Avoid contact with acids and oxidizing agents.

**10.5. Incompatible materials**

See the reactivity section.

**10.6. Hazardous decomposition products**

By thermal decomposition, carbon monoxide, carbon dioxide and other unidentified organic compounds.

**SECTION 11. Toxicological information**

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

## Permabond UV612

### SECTION 11. Toxicological information ... / >>

#### ACUTE TOXICITY

ATE (Inhalation) of the mixture: Not classified (no significant component)  
ATE (Oral) of the mixture: Not classified (no significant component)  
ATE (Dermal) of the mixture: Not classified (no significant component)

#### 2-HYDROXYETHYL METHACRYLATE

LD50 (Dermal): > 5000 mg/kg  
LD50 (Oral): > 5000 mg/kg

#### 2-ETHYLHEXYL METHACRYLATE

LD50 (Dermal): > 17620 mg/kg  
LD50 (Oral): > 2000 mg/kg

#### SKIN CORROSION / IRRITATION

Causes skin irritation

#### SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye irritation

#### RESPIRATORY OR SKIN SENSITISATION

Sensitising for the skin

#### GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

#### CARCINOGENICITY

Does not meet the classification criteria for this hazard class

#### REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

#### STOT - SINGLE EXPOSURE

May cause respiratory irritation

#### STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

#### ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

#### 11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

### SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

#### 12.1. Toxicity

#### 2-HYDROXYETHYL METHACRYLATE

LC50 - for Fish > 100 mg/l/96h  
EC50 - for Crustacea 380 mg/l/48h  
EC50 - for Algae / Aquatic Plants 836 mg/l/72h

### SECTION 12. Ecological information ... / >>

|   |               |
|---|---------------|
| 2-ETHYLHEXYL METHACRYLATE               |               |
| LC50 - for Fish                         | 2,78 mg/l/96h |
| EC50 - for Crustacea                    | 2,18 mg/l/48h |
| EC50 - for Algae / Aquatic Plants       | 7,68 mg/l/72h |
| Chronic NOEC for Crustacea              | 0,11 mg/l     |
| Chronic NOEC for Algae / Aquatic Plants | 0,28 mg/l     |

#### 12.2. Persistence and degradability

2-HYDROXYETHYL METHACRYLATE  
Rapidly degradable

#### 12.3. Bioaccumulative potential

Information not available

#### 12.4. Mobility in soil

Information not available

#### 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage  $\geq$  than 0,1%.

#### 12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

#### 12.7. Other adverse effects

Information not available

### SECTION 13. Disposal considerations

#### 13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

08 04 09\* stickers and sealed sealing, containing organic solvents or other dangerous substances

### SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

#### 14.1. UN number or ID number

not applicable

#### 14.2. UN proper shipping name

not applicable

#### 14.3. Transport hazard class(es)

not applicable

## Permabond UV612

### SECTION 14. Transport information ... / >>

#### 14.4. Packing group

not applicable

#### 14.5. Environmental hazards

not applicable

#### 14.6. Special precautions for user

not applicable

#### 14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

### SECTION 15. Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

| Product | Point |
|---------|-------|
|         | 3     |

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors  
not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage  $\geq$  than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

German regulation on the classification of substances hazardous to water (AwSV, vom 18. April 2017)

WGK 1: Low hazard to waters

#### 15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

### SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

|                          |  |
|--------------------------|--|
| <b>Eye Irrit. 2</b>      | Eye irritation, category 2   |
| <b>Skin Irrit. 2</b>     | Skin irritation, category 2  |
| <b>STOT SE 3</b>         | Specific target organ toxicity - single exposure, category 3       |
| <b>Skin Sens. 1</b>      | Skin sensitization, category 1                                     |
| <b>Skin Sens. 1B</b>     | Skin sensitization, category 1B                                    |
| <b>Aquatic Chronic 3</b> | Hazardous to the aquatic environment, chronic toxicity, category 3 |
| <b>H319</b>              | Causes serious eye irritation.                                     |

## Permabond UV612

### SECTION 16. Other information ... / >>

|               |   |
|---------------|---|
| <b>H315</b>   | Causes skin irritation.   |
| <b>H335</b>   | May cause respiratory irritation.   |
| <b>H317</b>   | May cause an allergic skin reaction.  |
| <b>H412</b>   | Harmful to aquatic life with long lasting effects.                          |
| <b>EUH208</b> | Contains <name of sensitising substance>. May produce an allergic reaction. |

#### LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very persistent and very bioaccumulative
- vPvM: Very persistent and very mobile
- WGK: Water hazard classes (German).

#### GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
23. Delegated Regulation (UE) 2023/707
24. Delegated Regulation (UE) 2023/1434 (XIX Atp. CLP)
24. Delegated Regulation (UE) 2023/1435 (XX Atp. CLP)

- The Merck Index. - 10th Edition

**SECTION 16. Other information ... / >>**

- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

**Note for users:**

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

**CALCULATION METHODS FOR CLASSIFICATION**

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.